

Top-up

Top-up

OPT-STM

Self-service Top-up
machine


Top-up

Top-up



Innovision Technology Corp., Ltd.

Top-up by credit card



Gas station issue the store value cards for years, it provides a convenient and fast payment method; furthermore, Can help to increase the customer loyalty by various incentives. However, the purely human operation to store value in the sales room, sure cannot satisfy all customers, especially when a large number crowds for the incentive plan to store value into their cards, a lot peoples jammed at the sales room, your incentive plan becomes customer complaints.

Therefore, except manual operation, setup self-service top-up machine at the station is another choice.

Stand alone STM (Self-Service Top-up machine) or combined with Pay at pump terminal.



Top-up by ATM card



STM is RISC base embedded computer that provides a stable and reliable operation. 32bits ARM 920 CPU with 32MB flash memory and 64MB SDRAM, built in Embedded Linux operating system to offer the powerful operating ability.

240x128 dots matrix graphic LCD or 5" 800x480 sunlight readable TFT-LCD with 8 soft keys for easy operation, with audio output support voice guide.

Thermal printer support 2" or 3" printing, could print the receipt on 2" paper and print the report on 3" paper.

OPT-STM also support SD card socket could back-up the transaction data.



General



FEATURE

For customer

- Top-up
- Check top-up record
- Check Payment record
- Balance check
- Bulletin check

For Station

- Top-up list
- Top up commission list
- Top-up fail report
- Daily report
- Status report
- HQ communication report
- Check the transaction data by card number or time.





Specifications

ITEM	SPECIFICATION
CPU	32 bits Arm9
Flash Memory	32MB
SDRAM	64MB
Card Reader	3 in 1 Motorized Reader
Keypad	PCI PED
Interface	RS232 port x 8
Printer	3" Thermal printer
LAN	Ethernet 10/100 Mbps
SAM slot	4 SAM card slots
Soft key	2 pcs 1x4 waterproof metal key beside the LCD
Display	FSTN 240x128dots matrix graphic LCD or 5" 800x480 sunlight readable TFT-LCD
Audio	Support
Extended memory	SD card slot
Operating System	Embedded Linux





Contact Information

Hong Kong

TEL: + (852) 2851 3899 Fax: + (852) 2851 6310

Suite 802, 8/F, Chinachem Century Tower, 178 Gloucester Road, Wanchai, Hong Kong

Taiwan

TEL: +(886) 2-8511 1288 Fax:+ (886) 2-8511 1293

16/F, No. 92 Xingde Road, Sanchong Dist., New Taipei City, Taiwan

China

TEL: + (86) 20-8756 1314 Fax: + (86) 20-8756 1284

No. 25, Room 1703, Tianhe South 2nd Rd., Tianhe Dist., Guangzhou, Guangdong, P.R.C.

